







ABOUT US

AYRUS - The Global Brand in Advanced surveillance and security solutions From USA. AYRUS is having The comprehensive range of products & solutions for monitoring & securing millions of People & Facilities across the Globe, AYRUS offers an extensive portfolio of high quality products, solutions and services featuring intelligent functionality and modular concepts which enable us to deliver the best Value Proposition& Solutions to our valued clienteles.

AYRUS products serve a diverse set of vertical markets that includes retail, banking and finance, transportation, education, commercial, government, and residential applications. AYRUS is dedicated to providing global resources with local technical, sales and service supports to its valued customers.

AYRUS offer a comprehensive range of product portfolio in Security solutions:

With remarkable presence in 43 Countries along with 9000+ strong Partner Network We continue to enjoy rapid and steady growth. As we are expanding our market share & operation so we would like to invite you to be a witness of our global success.

WHO IS AYRUS?

EXCEPTIONAL AMERICAN ELECTRONICS













Company Profile



Company Profile




















AYRUS GLOBAL E-COMMERCE






















CCTV

AHD KIT

- ●2pcs 2MP metal bullet + 2pcs 2MP plastic dome AHD cameras
- ●1pcs 5MP-N XVR with 1ch audio in.
- ●1*1080P @25fps Playback
- •4pcs*20m BNC+DC cable
- ●1pcs 12V 5A 1 by 5 adapter
- ●UK power plug add 0.45usd

AY-NN-KIT201






CCTV

NVR KIT

- 4pcs metal Bullet IP wireless cameras with array LED
- 1pcs H.265 wireless NVR,VGA, HDMI, support 1HDD, double antennas
- 1pcs 1M RJ45 cable,1pcs mouse, 4pcs
 DC 12V 1A adaptors + 1pcs 12V 2A
 Adaptors
- Transmission in open space up to 350m without abstacle, Support concatenation
- Support human detection function
- UK power plug add 1.3usd; remote control needed add 0.48usd

AY-NN-IP-KIT301







AY-ECU-I31-2M



Ai True Human Tracking

- 2.4GHz wireless, built-in antenna
- 1080P full HD video quality
- 100° wide view angle, 355° / 0°
 PanTilt;
- Support cloud storage, SD card record(max 128GB)
- support motion tracking, two-way audio





Solar Powered Wi-Fi IP Camera

- IR LED: 8pcs, IR Range: 30M
- TF Card local Storage
- Built in PIR Alarm, Push alarm to smart phone or CMS
- Power: 10W and 2 x 18650 Battery include
- PNP(Plug and Play), support smart phone & tablets



AY-ECU-B101



Low-power Intelligent WIFI Camera

- Low-power Intelligent WIFI Camera
- Low power consumption, 4-6 Month s endurance
- 8pcs 850nm IR LED,10 meters IR Distance
- TF card (10 seconds each time, can be set), support mobile phone local recording, device recording
- PIR motion detection, high sensitivity / medium / low level adjustable
- Support 2-way Audio Communication, answer your door wherever you are.



AYRUS AiMouse

AY-SM101











Wireless Smart Mouse

- Wireless soluation : 2.4GHz Wireless Smart
 Overclocking Technology
 - Button Quantity: 3 (regular) +2 (up)
- +2 (side)
- Applicable System: Windows XP/7/8/10 MAC OS
- Optical Engine: Original Phase PA3212 (no light)
- Power supplier : Built-in lithium battery UN38.3 +MSDS)
- Resolution: 1000/1200/1600 dpi Adjustable



Bulb Camera

- Lamp fish eye Camera
- Lens: Fisheye lens, f=1.29mm
- View angel: Horizontal 360°
- TF Card local Storage (Max.128G)
- PNP(Plug and Play), support smart phone
 & tablets remote View
- QR Scan or download app (ipc360), app can switch lamp on
- Weight: 600g

AY-ECU-I18





AY-ECU-I19



3D Panoramic fish eye VR Camera

- 3PCS IR Leds, IR distance: 15M
- Lens: Fisheye lens
- TF Card local Storage (Max.64G)
- PNP(Plug and Play), support smart phone & tablets remote View
- QR Scan or download app (VR Camera)
- Power: 12V 1000MA power adapter include
- Weight: 600g



AY-ECU-127



Vandalproof IP66 Wi-Fi Camera

IR LED: 1pcs hidden IR Led, IR Range: 15M

Lens: 4mm(2M Pixels)

Video Output: 1 x RJ45 port, TF Card slot,

upto 128G

PNP(Plug and Play), support smart phone &

tablets

Two-way Audio, H.264 video compression,

app (Cloud Edge)

Power: 5V 1000MA power adapter include

Weight: 0.8 kg



Mini Battery Camera

- Support for cloud storage
- Comes with AP hotspot
- Built-in battery
- Support multiple simultaneous remote access

AY-ECU-128





Video Doorbell

AY-ECU001-WDB



Wi-Fi Video Doorbell

- Support Battery
- Motion Detection
- Two Way Audio
- Day/Night Vision
- Supports SD Card
- Optional Dingdong



AY-ECU-U10



Plastic Small USB Live Camera

- Horizontal viewing angle(60-120°)
- Lens: 3.5mm(2M Pixels)
- PNP(Plug and Play)
- Meeting Laptop PC
- USB Power: DC5V/160mA ±6mA
- Weight: 200g



AY-ECU-BW01



Semi-Metal wifi Bullet Camera

- ◆ Waterproof IP66 Semi-Metal wifi Camera
- ◆ IR LED: ¢ 5X36pcs, IR Range: 30M
- Lens: 3.6mm(2M Pixels)
- ◆ Video Output: 1 x RJ45 port, TF Card slot, upto 128G
- Support email alert trigger by Motion detection
- ◆ PNP(Plug and Play), support smart phone & tablets



AY-ECU-BW02



Semi-Metal wifi Bullet Camera

- Waterproof IP66 Semi-Metal wifi Camera
- ♦ IR LED: 14μX18pcs, IR Range: 25M
- Lens: 3.6mm(2M Pixels)
- ◆ Video Output: 1 x RJ45 port, TF Card slot, upto 128G
- Support email alert trigger by Motion detection
- ◆ PNP(Plug and Play), support smart phone& tablets



AY-ECU-ZW03



Wifi IP Network IP65 Mini Plastic Speed PTZ Camera

- ◆ External Antenna, Night vision full color,WIFI Receiving Range: 100M
- ◆ Support HTTP, DHCP, DNS, RTSP, PPPoE, DDNS, FTP, E-mail, UPNP
- ◆ Support Onvif, App IC See, Two way audio, Support TF card(128GB)
- 6pcs White Leds, 4pcs IR Leds, IR Range:20M
- **♦** Lens: 3.6mm(5MP)



AY-ECU-ZW04



Wifi IP Network IP65 Mini Plastic Speed PTZ Camera

- **◆** External Antenna, Night vision full color, WIFI Receiving Range: 100M
- ◆ Support HTTP, DHCP, DNS, RTSP, PPPoE, DDNS, FTP, E-mail, UPNP
- ◆ Support Onvif, App IC See, Two way audio, Support TF card(128GB)
- ◆ 4pcs White Leds, 4pcs IR Leds, IR Range: 35M
- ◆ OSD, Motion Detection, Remote View and Control





AY-ECU-DW05



PLastic 4G/wifi IP Camera

- ◆ IR LED: 2pcs, IR Range: 20M
- **♦** Lens: 3.6mm(3M Pixels)
- ◆ TF Card local Storage (Max.128G,over 32GB need FAT32 Format)
- ◆ Support 3G/4G small Sim card (America or Japan 4G add \$5)
- PNP(Plug and Play), support smart phone & tablets
- → H.264 video compression, video Push
- ◆ QR Scan or download app (Camhi)
- ◆ Wifi connect by scan QR codes, smart key easily, radar scanning
- Built in PIR Alarm, Push alarm to smart phone



AY-ECU-BW06



IP66 4G/wifi IP Camera

- ◆ IR LED: 4pcs, IR Range: 60M
- **♦** Lens: 6mm CS Lens(3M Pixels)
- ◆ TF Card local Storage (Max.128G,over 32GB need FAT32 Format)
- ◆ Support 3G/4G small Sim card (America or Japan 4G add \$5)
- PNP(Plug and Play), support smart phone & tablets
- → H.264 video compression, video Push
- **♦** QR Scan or download app (Camhi)
- ◆ Wifi connect by scan QR codes, smart key easily, radar scanning
- ◆ Built in PIR Alarm, Push alarm to smart phone



AY-ECU-ZW07



IP66 4G IP Mini Speed PTZ Camera

- ◆ Pan Range: 355°, Pan Speed: Max 30°/ sec
- **♦** Tilt Range: 90°, Tilt Speed: Max 30°/sec
- ◆ 4pcs White Leds, 4pcs IR Leds, IR Range: 35M
- ◆ TF Card local Storage (Max.128G,over 32GB need FAT32 Format)
- ◆ Support 3G/4G small Sim card (America or Japan 4G add \$5)
- ◆ PNP(Plug and Play), support smart phone & tablets
- Support Onvif, Preset: 128, App (Camhi)



AY-ECU-ZW08



IP66 4G IP Mini Speed PTZ Camera

- ◆ Pan Range: 355°, Pan Speed: Max 30°/ sec
- ◆ Tilt Range: 90°, Tilt Speed: Max 30°/sec
- ◆ 4pcs White Leds, 2pcs IR Leds, IR Range: 35M
- 5x Optical Zoom(2.7-13.5mm Lens)
- ◆ TF Card local Storage (Max.128G,over 32GB need FAT32 Format)
- ◆ Support 3G/4G small Sim card (America or Japan 4G add \$5)
- ◆ PNP(Plug and Play), support smart phone & tablets
- Support Onvif, Preset: 128, App (Camhi)



AY-ECU-ZW09



IP66 4G/wifi IP Camera

- ◆ IR LED: 2pcs IR Leds, 4pcs White leds, IR
- Range: 30M
- ◆ Pan Range: 355°, Pan Speed: Max 30°/ sec
- ◆ Tilt Range:30°, Tilt Speed: Max 30°/sec
- Lens: 3.6mm Lens(3M Pixels)
- ◆ TF Card local Storage (Max.128G,over 32GB need FAT32 Format)
- ◆ Support 3G/4G small Sim card(do not support US and Japan)
- ◆ PNP(Plug and Play), support smart phone & tablets
- → H.265 video compression, PIR detection, video Push
- QR Scan or download app (U-BOX)



Solar Powered 4G Wi-Fi IP Camera

- IR LED: 8pcs, IR Range: 30M
- TF Card local Storage
- Support 3G/4G medium Sim card
- Built in PIR Alarm, Push alarm to smart phone or CMS
- Power: 10W and 2 x 18650 Battery include
- PNP(Plug and Play), support smart phone & tablets





Bulb Camera

- Lamp fish eye Camera
- Lens: Fisheye lens, f=1.56mm
- TF Card local Storage (Max.128G,over 32GB need FAT32 Format)
- Support 3G/4G medium Sim card
- PNP(Plug and Play), support smart phone
 & tablets remote View
- QR Scan or download app (V380), app can switch lamp on
- Weight: 600g

AY-ECU-124





AY-ECU-123



3D Panoramic fish eye VR Camera

- 3PCS IR Leds, IR distance: 15M
- Lens: Fisheye lens
- TF Card local Storage (Max.128G,over 32GB need FAT32 Format)
- Support 3G/4G medium Sim card
- PNP(Plug and Play), support smart phone & tablets remote View
- QR Scan or download app (Camhi)
- Power: 12V 1000MA power adapter include
- Weight: 600g



AY-ECU-120





Small PTZ 4G IP Wi-Fi Camera

- IR LED: \$\psi\$ 5 X 11pcs, IR Range: 10M
- Lens: 3.6mm(3M Pixels)
- TF Card local Storage (Max.128G,over 32GB need FAT32 Format)
- Support 3G/4G medium Sim card
- PNP(Plug and Play), support smart phone
 & tablets
- QR Scan or download app (Camhi)
- Power: 5V 1000MA power adapter and 2 x 18650 Battery include
- Weight: 1500g



4G Wi-Fi IP Car Camera

- IR LED: \$\psi\$ 5 X 18pcs, IR Range: 15M
- Lens: 3.6mm(3M Pixels)
- TF Card local Storage (Max.128G,over 32GB need FAT32 Format)
- Support 3G/4G medium Sim card
- PNP(Plug and Play), support smart phone & tablets
- QR Scan or download app (Camhi)
- Power: 12V 1000MA power adapter
- Weight: 800g







GPS

OBD GPS Tracker

- Fleet management
- Insurance telematics
- Car Rental solution
- New Energy vehicle battery monitoring solution
- Vehicle diagnostic aftermarket
- OBD DIY solution

AY-GPS500





GPS

Vehicle GPS Tracker

- DC 9-100V Wide range voltage input
- GPS/BeiDou dual-mode positioning
- Remote engine cut relay
- Blind data storage,
- Cornering compensation
- Supports 2 guardian numbers to remote monitoring and receiving alarms







Home Automation

Smart Home Security Kit

 The set includes: doorbell, smoke detector, door sensor, infrared alarm, smart socket, gas alarm, smart expander and IP Camera How to use: Plug the smart expander into the USB port of the camera, the camera is powered on and connected to the network, scan and add the alarm sensor in the settings (Note: the smart alarm kit is a private agreement with our products, only our camera can be docked)

AY-SH-KIT103





Home Automation

Smart Home Security Kit

 The set includes: doorbell, door sensor, infrared alarm, smart socket, smart expander and IP CameraHow to use: Plug the smart expander into the USB port of the camera, the camera is powered on and connected to the network, scan and add an alarm in the settings (Note: the smart alarm kit is a private agreement with our products, only our camera can be docked)

AY-SH-KIT104





Home Automation

Home Automation Accessories

- infrared sensor
- smoke alarm
- gas sensor
- door sensor
- doorbell
- smart socket
- USB







Smart Sensor

Smart Sensor

- A microwave sensor is an electronic device that detects motion, and uses this information to automatically control systems like lighting, fans and more
- "Passive Infrared Sensor" also known as PIR Motion Sensor is the kind of sensor that defects motion on the basis of change in temperature (heat energy) caused by the movement of a human body.







Smart Lighting Sensor

Smart Lighting Sensor

 A perfect smart light for parking, areas, staircase as well as corridors.
 Available in 18W/12W LED light which will automatically dim down to 3W if there is no motion







VIDEO CONFERENCING

HD PTZ Auto Rotate Tracking Voice Camera

2 million pixels pixel, 1/2.8"HD color CMOS
1080P/30fps
Digital 4 Microphone Array, to 10 meters voice pick up
AEC & ANS & AGC
Sound localization - Camera auto rotates tracking the voice
12x optical zoom
HDMI and USB2.0 interface
Customized

AY-VC202





VIDEO CONFERENCING

All In One USB HD Video Conference Camera with Mic and Speakers

AY-VC204

8 million pixels, 1/3.2 inch high quality CMOS sensor
4K/15fps
Digital 4 Microphone Array, to 10 meters voice pick up
Support speakers out 6W(3W*2)
112° wide huge angle
AEC & ANS & AGC
USB2.0 interface plug and play
Customized





AUDIO CONFERENCING

Conference Bluetooth Call Speakerphone

32ft 360° Far-Field Voice Audio
Pickup 4
microphones array and 360° voice
recognition
10 meters voice pick up
AEC & ANS & AGC
Supporting bluetooth,USB,AUX
Customized

AY-VC208







Facial recognition terminal

Our face machines with developed face algorithm, fast and accurate identification, achieved the advanced level of face recognition.

Double infrared light double HD cameras, can even do the identification at night time.

ARM (Quad-core Cortex™-A7) processor Without install software, can input/output user information, shift pattern and shift management by U-disk, and download the attendance report. T9input, input user information directly. Reminder of on and off duty, and late in and early out

AY-FTA1009FC





Waterproof Metal Housing Fingerprint Access Control System

- 1. Fingerprint capacity: 500
- 2.Card Capacity: 2000
- **3.**Response time:≤1s
- 4.Record capacity:100,000
- 5. Verify mode: fingerprint,
- password, ID card
- 6. Working voltage/
- current:DC9V~12V/1A
- 7.Function:standard WG26/34 output /relay output/ BELL

AY-FTA1012S





Touch Key Wifi Biometric Fingerprint Door Access Control

AY-FTA1010 is is touch key
Free sdk network biometric
fingerprint door access control
System. with high steady and
strong access control
functions together. With the
top algorithm to make sure
the identification speed and
rates, suits all company and
buildings.

AY-FTA1010





Standalone Excel Output Attendance system

Fingerprint capacity: 1000

Record capacity: 100,000

Lcd: 2.4'inch TFT;

Verify mode: fingerprint, Pin, ID

card (Optional)

working voltage/current: 5V/1A;

(5v battery outside is option)

Function: Support keyboard input

name; U-disk upload and download

data,record,staff infomation; modify

the shift, late, leave


early, automatic report generation;

AY-FT4003











AYRUS USA

Delaware 7209, Lancaster Pike, Suit04-1108, Hockessin, 19707, USA Tel: +001 302 6130565 Fax: +001 302 2341777

Email: info@ayrusglobal.com

Bahrain

P.O.Box 75814,Suit 0012 Bldg.406, Buashirah Manama, Kingdom of Bahrain Tel: +973 17262830 Email: sales@ayrusglobal.com

AYRUS MIDDLE EAST

UAE P O Box 376170, Deira, Dubai, **United Arab Emirates** Sales@ayrusglobal.co

AYRUS ASIA

India

Office 117, Seawood Corner Sec.25, Seawood, Navi Mumbai, India

Tel: +91 9004226536 Email: sales@ayrusglobal.com

AYRUS AFRICA

Kenya P.o.box.42112, industrial Area, Enterprise Rd,

Nairobi, Kenya.
Info@ayrusglobal.com









